

AMENDED

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 18 1961Returned to applicant for correction AUG 9 1961Corrected application filed SEP 11 1961Map filed SEP 11 1961 under 19989

The applicant The City of Carson City, a municipal corporation of the  
State of Nevada  
of Carson City, County of Ormsby,  
State of Nevada, hereby make application for permission to appropriate the public  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.) The City of Carson City was  
chartered in 1875.

1. The source of the proposed appropriation is Underground Source in Ormsby County  
Name of stream, lake or other source.  
(Dog Pound Well)
2. The amount of water applied for is 0.05 second-feet.  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet                      acre-feet.
3. The water to be used for Sanitary (Dog Pound) and Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
  - (a) Irrigation (state number of acres to be irrigated)
  - (b) Stockwater (state number and kinds of animals to be watered)
  - (c) Other use (describe fully under "No. 11. Remarks")
  - (d) Power:
    - (1) Horsepower developed
    - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point: A point in the SE $\frac{1}{4}$  NW $\frac{1}{4}$  Sec.  
15, T. 15 N., R. 20 E., M.D.B.&M., which bears N. 63° 30' 40" E.  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
2782 feet from the West quarter corner of said Section 15.  
it should be stated.
6. Place of use SE $\frac{1}{4}$  NW $\frac{1}{4}$  Sec. 15, T. 15 N., R. 20 E., M.D.B.&M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year.  
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans  
and specifications of your diversion or storage works.) Well, 6" diameter by 116 feet  
H.P.  
deep. 1 $\frac{1}{2}$ /submersible Fairbanks Morse Pump. 220 gallon pressure  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.  
and storage tank. All piping to fixtures, hose bibs, etc.

9. Estimated cost of works.....\$3000.00.....  
10. Estimated time required to construct works.....Now complete in place.....  
11. Remarks.....Water is used for all service to dog pound having 30  
inside cages, 18 outside runs. Serves culinary and waste fixtures.  
is used in hosing out cages and slabs of building and runs, and  
irrigation of shrubs. In addition, this well will serve any future  
developments by the City in this northeast area of the parcel.....

Applicant.....City of Carson City.....

By.....s/ Albert A. Autrand.....  
Councilman at Large and Ex-officio  
Compared.....hs/lb.....hs/lb.....Mayor of Carson City  
s/ John Tom Ross  
City Attorney

.....APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all existing rights on the source and is limited to what the well will produce but not to exceed 0.05 c.f.s. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept, and a method provided, either air line or opening, for measuring depth to water. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of <sup>W</sup>water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.05.....cubic feet per second.....

Actual construction work shall begin on or before.....July 18, 1962.....  
Proof of commencement of work shall be filed before.....August 18, 1962.....  
Work must be prosecuted with reasonable diligence and be completed on or before.....July 18, 1963.....  
Proof of completion of work shall be filed before.....August 18, 1963.....  
Application of water to beneficial use shall be made on or before.....July 18, 1963.....  
Proof of the application of water to beneficial use shall be filed on or before.....August 18, 1963.....  
Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....AUG 22 1962.....  
Completion of work filed.....Aug 12 1963.....  
Proof of beneficial use filed.....Aug 12 1963.....  
Cultural map filed.....  
Certificate No.....5614.....Issued.....Aug 23 1963.....  
Recorded.....9/16/63.....Bk.....Pg.....#77

WITNESS MY HAND AND SEAL this.....18th.....day  
of.....January....., 1962.....

EDMUND A. MUTH  
State Engineer.  
By.....Assistant State Engineer

218 (Rev.)  
WITHDRAWN BY APPLICANT  
JUL 27 1960  
STATE ENGINEER